

PETAG, INC.

255 KEYES AVENUE, HAMPSHIRE, IL, 60140

Telephone: 847-683-2288

Fax: 847-683-2003

Customer Service: 800-323-6878

Technical Service: 800-323-0877

Website: www.petag.com

Email: techservice@petag.com

ESBILAC® 2ND STEP™ PUPPY WEANING FOOD

PetAg

Formulated for puppies 4 to 8 weeks of age

Contains beef and natural milk protein

Made to follow Esbilac or mother's milk

Makes weaning easier

With vitamins, minerals and trace nutrients

Sold by weight not by volume

| Feeding Guidelines | Feed puppies three times per day |
|---------------------------------|-----------------------------------------|
| Small puppies (1 lb. average) | 1 tablespoon powder |
| Medium puppies (3 lbs. average) | 4 tablespoons powder |
| Large puppies (5 lbs. average) | 5 tablespoons powder |

More or less food may be needed by individual puppies to satisfy their food requirements for optimum performance.

Guaranteed Analysis

| | |
|--------------------|-------|
| Crude Protein, min | 26.0% |
|--------------------|-------|

| | |
|------------------|--------|
| Crude Fat, min | 12.0% |
| Crude Fiber, max | 4.0% |
| Moisture, max | 8.0% |
| Iodine, min | 2mg/kg |

Ingredients: Rice flour, dried meat solubles, dried skimmed milk, dried milk protein concentrate, animal fat (preserved with BHA and BHT), coconut oil, high oleic canola oil (preserved with mixed tocopherols), dicalcium phosphate, dried whey product, whey, casein, potassium chloride, calcium carbonate, maltodextrins, salt, ferrous sulfate, lecithin, artificial flavor, DL-methionine, vitamin E supplement, zinc methionine complex, manganese sulfate, vitamin A supplement, pantothenic acid, niacin supplement, biotin, vitamin B12 supplement, vitamin D3 supplement, folic acid, riboflavin, thiamine mononitrate, silicon dioxide, taurine, zinc sulfate, copper gluconate, pyridoxine hydrochloride, ethylenediamine dihydroiodide.

Calorie Content (Calculated)

The calorie content (ME) is 3522 kcal/kg or 22.7 kcal/tbs.

Feeding Information: Esbilac[®] 2nd Step[™] should be lapped out of a bowl, not fed from a bottle. Esbilac 2nd Step has been formulated to meet the nutritional needs of young puppies being weaned from mother, or bottle fed puppies progressing to solid foods. For best results the product should be mixed with ready to feed liquid Esbilac or reconstituted powder Esbilac to give the consistency necessary to get good food consumption. If Esbilac is not available water may be used. Fresh, clean water should always be available for drinking. It is recommended that Esbilac 2nd Step be fed until puppies are seven or eight weeks old when they can be fed commercial puppy or dog food as desired. All changes in diet should be made gradually over a period of one week.

Mixing Directions: Puppies that are up on their feet and lapping from a bowl may be introduced to Esbilac 2nd Step. Begin by offering it as a thin gruel. Determine the amount of Esbilac 2nd Step powder to be fed to the puppy at each feeding using the Feeding Guideline on the right side of the label. Reconstitute powder by using three parts (a part is any measuring device, i.e. teaspoon, tablespoon or cup) liquid Esbilac or water to one part powder for the first few days. Offer only small amounts and remove the uneaten portion after no more than 20 minutes. Puppies should be fed three times per day. Weigh the puppies at least once a week to monitor weight gain and adequacy of feeding. As puppies grow, decrease the amount of water mixed with the powder until weaning food is an oatmeal consistency. **Consult your veterinarian for additional advice.**

Storage: Powder does not need to be refrigerated, but should be kept covered and stored in a cool, dry place. Avoid exposure to excessive temperatures.

This product is intended for intermittent or supplemental feeding only. **Not for human consumption.**

©2010 PetAg, Inc., 255 Keyes Avenue, Hampshire, IL 60140 U.S.A.

1-800-323-0877

Visit our website: www.petag.com

Made in U.S.A.

International Copyright Reserved.

Use before date stamped on top or bottom.

| | |
|---------------------------------|----------|
| NET WT. | |
| 14 OZ. (400g) can (12 per case) | 362 1110 |
| 5 LB (2.27kg) pail (4 per case) | |

NAC No.: 10970117