

LLOYD, INC.

604 WEST THOMAS AVENUE, P.O. BOX 130, SHENANDOAH, IA, 51601

Telephone: 712-246-4000

Order Desk: 800-831-0004

Fax: 712-246-5245

Website: [www.lloydinc.com](http://www.lloydinc.com)

Email: [info@lloydinc.com](mailto:info@lloydinc.com)

## VETA-LAC® FELINE

Lloyd

*Powdered milk replacer for kittens and food supplement for cats*

**Directions for Mixing Veta-Lac Feline:** Add three level measures of Veta-Lac Feline powder to 4 fluid ounces (1/2 cup) of very warm water and shake or stir vigorously. This mixture may be stored in a covered container under refrigeration for several days. Emulsification of fats is improved by refrigeration and only brief mixing is needed just before feeding. If a smaller amount of reconstituted liquid is required, mix one measure of medium to firmly packed Veta-Lac Feline powder with three measures of very warm water as described above.

**This product is intended for intermittent or supplemental feeding only.**

### **Feeding Veta-Lac Feline to Orphan Kittens:**

Your veterinarian should be consulted for advice about the care and feeding of kittens. Feed young kittens whenever they are hungry but avoid overfeeding. Feed from a dropper or small nipple bottle. Experience will soon tell you how much and how often to feed. Veta-Lac Feline may be fed either at body temperature or refrigerator temperature, but avoid sudden changes or wide variations in temperature.

Strong newborn kittens should normally be fed six times during each 24 hours (weak or very small animals should be fed every two hours) for the first few days. The number of feedings may be reduced to four times every 24 hours during the second week.

By the third or fourth week, feeding three times per day is usually sufficient. Kittens should be eating from a bowl and a small amount of dry meal can be added to the liquid to make a gruel-like mixture.

Gradually decrease the amount of liquid being fed and increase the amount of regular ration. This change from all liquid feeding to the regular ration should be made in not less than two to three weeks. For best results, continue to feed small or supplemental amounts of reconstituted liquid after weaning.

## Reconstituted Veta-Lac Feline Feeding Guide

Weight of kitten	Measures reconstituted liquid to feed daily*
2 oz	1
4 oz	2
8 oz	4
1 lb	6
2 lb	12

\* 1 measure = approx. 1 tablespoonful

### Feeding Veta-Lac Feline to Pregnant and Lactating Queens:

Mix Veta-Lac Feline powder into the daily ration at the rate of 2 level measures (approximately 15 g) per 5 lb (2.2 kg) body weight until two weeks after giving birth.

### Guaranteed Analysis: Per 200 grams: (All values are minimum quantities unless otherwise stated.)

Crude Protein, minimum	35.0%
DL-Methionine	0.25% (1,000 mg)
Taurine	0.11% (220 mg)
Crude Fat, minimum	20.0%
Crude Fiber, maximum	1.0%
Moisture, maximum	5.0%
Ash, maximum	8.0%

**Minerals:** Calcium, minimum 1.0%; Calcium, maximum 1.2%; Phosphorus, minimum 0.8%; Potassium 1,430 mg, 0.72%; Sodium 980 mg, 0.45%; Chloride 2,850 mg, 1.43%; Magnesium 350 mg, 0.18%; Iron 24 mg; Copper 3 mg; Manganese 1.5 mg; Zinc 1 mg; Iodine 1 mg. **Vitamins and Others:** Vitamin A 4,400 IU; Vitamin D 650 IU; Vitamin E 9 IU; Thiamine 1.5 mg; Riboflavin 4 mg; Pantothenic acid 4 mg; Niacin 20 mg; Pyridoxine 1.5 mg; Folic acid 0.5 mg; Vitamin B<sub>12</sub> 44 mcg; Choline 220 mg; \*Ascorbic acid 500 mcg; \*Inositol 2 mg; \*Cobalt 0.5 mg.

\*Not recognized as essential nutrients by AAFCO Feline Nutrient Profiles.

**Ingredients:** Milk protein (from dried skim milk and/or milk protein concentrates), animal fat, magnesium sulfate, sodium citrate, sodium phosphate, dicalcium phosphate, DL-methionine, choline bitartrate, lecithin, vitamin B supplement, taurine, vegetable oil, polyoxyethylene sorbitan, polyethylene glycol monooleate, ferrous sulfate, niacin, vitamin E supplement, copper sulfate, vitamin A supplement, pantothenic acid, manganese sulfate, riboflavin, saccharin sodium, folic acid supplement, inositol, vitamin D<sub>3</sub> supplement, pyridoxine hydrochloride, thiamine mononitrate, cobalt sulfate, zinc oxide, ethylenediamine dihydriodide, ascorbic acid, artificial flavorings and ethoxyquin, a preservative.

**LLOYD, Inc.**, Shenandoah, Iowa 51601 U.S.A.

	List No.	
--	----------	--

200 grams	0581	1106
-----------	------	------

**NAC No.:** 10500352