

FIDOPHARMBRANDS, LLC
a subsidiary of Velcera, Inc

777 TOWNSHIP LINE ROAD, YARDLEY, PA, 19067-5508

Toll-Free: 1-888-908-TICK

Toll-Free: 1-866-PETTRUST

Website: www.petarmor.com

Website: www.pettrust.com

PETARMOR® FOR DOGS

FidoPharmBrands

ONLY for use on dogs and puppies 8 weeks or older

PETARMOR® For Dogs is a topical application for fast action and lasting control of fleas, ticks, and chewing lice.

Active Ingredient

Fipronil	9.7%
INERT INGREDIENTS	90.3%
TOTAL	100.0%

Compare to Frontline® Top Spot® same active ingredient*

KEEP OUT OF REACH OF CHILDREN

CAUTION

PETARMOR® For Dogs acts fast and is an effective, lasting, waterproof, and easy-to-use application for control of fleas, ticks, and chewing lice on dogs and puppies. When used as directed, PETARMOR® For Dogs can stop infestations of fleas, ticks, and chewing lice and help to prevent reinfestation on dogs and puppies, including on breeding, pregnant and lactating bitches. PETARMOR® For Dogs also aids in the control of sarcoptic mange infestations. Apply monthly to eliminate sarcoptic mange mites.

Specifically, PETARMOR® For Dogs kills, controls and prevents infestations of:

1. Newly emerged adult fleas prior to egg-laying, including fleas which could cause flea allergy dermatitis;

2. Brown Dog tick, the American Dog tick, the Lone Star tick, and the Deer tick (that may transmit Lyme Disease), at all stages;

3. Chewing lice infestations.

PETARMOR[®] For Dogs contains the active ingredient fipronil.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply this product. **READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. CAREFULLY FOLLOW ALL PRECAUTIONARY STATEMENTS AND APPLICABLE USE DIRECTIONS. FOR USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.**

For topical application only. Apply PETARMOR[®] For Dogs ONLY to dogs and puppies aged 8 weeks or older, including on breeding, pregnant, and lactating bitches, as indicated below for control of fleas, ticks, and chewing lice:

How to Apply

1. Open the child resistant package according to the directions on the back of the sealed inner package for each pipette.



2. Snap the tip of the pipette away from you as shown.



3. Part the dog's hair and place the tip of the pipette behind the neck and between the shoulders. Ensure that the entire application of PETARMOR[®] For Dogs is contained in a single spot on the dog's skin. Be sure to squeeze the pipette thoroughly so that the entire contents are applied.

Do not apply the product superficially to the dog's hair. Use only one pipette during each application.

Do not touch the area where the application was made until it is dry.

PETARMOR[®] For Dogs also aids in the control of sarcoptic mange infestations. Apply monthly to eliminate sarcoptic mange mites.

Frequency of Application

Fleas: According to research studies, adult fleas are killed for up to three months following an application of fipronil. If, however, your dog or puppy is susceptible to flea allergy dermatitis, or if you believe there is a risk of reinfestation, apply every month.

Ticks: Each application kills ticks for one month or longer. For best control of ticks, apply once every month.

Chewing Lice: Each application kills chewing lice for one month or longer. For best control of chewing lice, apply once every month.

Do not reapply PETARMOR[®] For Dogs for thirty (30) days.

Please note that there is no need to reapply following your dogs exposure to bathing or water immersion, as PETARMOR[®] For Dogs remains effective in those conditions.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Storage. Store unused pipettes in the original child-resistant container and outer box only, out of reach of children and animals.

Pesticide Disposal. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Container Disposal. Nonrefillable container. **If empty:** Do not reuse this container. Place in trash or offer for recycling if available.

First Aid

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If Swallowed: Immediately call a poison control center or doctor for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If on Skin: Rinse skin with plenty of soap and water. Get medical attention if irritation persists.

Precautionary Statements

Hazards To Humans. Caution.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Hazards to Domestic Animals.

For external use only. Do not use on puppies under 8 weeks of age. Sensitivities may occur after using ANY pesticide product for pets. While temporary irritation at the application area may occur, if signs of continued sensitivity occur, consult a veterinarian immediately. Should any unusual reactions to the application occur, do not reapply before consulting with a veterinarian. Certain medications can interact with pesticides. Consult with your veterinarian before using this product on medicated, debilitated, or aged Dogs. Call 1-888-908-TICK for 24-hour assistance.

Physical or Chemical Hazards

Flammable: Keep away from heat and open flame.

Application Options for Different Sizes of Dogs

PETARMOR[®] For Dogs comes in four different packages for different-sized dogs and puppies eight (8) weeks or older:

- Up to 22 lbs.

- 23 to 44 lbs.

- 45 to 88 lbs.

- 89 to 132 lbs.

Warranty

To the extent consistent with applicable law, sellers make no warranty, express or implied, concerning the use of this product other than as indicated on the labeling. Buyer assumes all risk of use and handling of the product when such use and handling are contrary to the label instructions.

* This product is not manufactured or distributed by Merial, the makers of Frontline[®] Top Spot[®]

Available Exclusively from FidoPharm, Inc., 777 Township Line Road, Suite 170, Yardley, PA 19067-5508
USA

EPA Reg. No. 86230-1-85495

EPA Est. No. 87688-IND-01

Patent Pending

©2011 FidoPharm, Inc.

All rights reserved.

Questions? Comments?

1-888-908-TICK

Made in India

102-3002

Presentation: 3 x 0.023 fl oz (0.67 mL) applicators (up to 22 lb), 3 x 0.045 fl oz (1.3 mL) applicators (23-44 lb), 3 x 0.091 fl oz (2.68 mL) applicators (45-88 lb), 3 x 0.136 fl oz (4.02 mL) applicators (89-132 lb).

NAC No.: 16210020